### XCCRAR0616

shaft coupling - for encoder - with spring  $\varnothing$  6 to 16 mm



#### Main **Product or Component** Shaft coupling Accessory / separate Rotary encoder with solid shaft part destination Accessory / separate Coupling accessories part category Accessory / separate Spring part type Bore diameter encoder 0.24 in (6 mm) side Bore diameter machine 0.63 in (16 mm)

+/- 1 mm

#### Complementary

o o mpromornary		
Collar material	Zamak	
Spring Material	Nickel plated steel	
Maximum angular misalignment	5°	
Maximum radial misalignment	+/- 1.5 mm	
Maximum torque value	26.55 lbf.in (3 N.m)	
Net Weight	0.26 lb(US) (0.12 kg)	

Compression expansion

side

#### Ordering and shipping details

Category	21581-ENCODERS, XCC
Discount Schedule	DS2
GTIN	3389110935684
Returnability	No
Country of origin	FR

#### **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.97 in (5 cm)	
Package 1 Width	1.18 in (3 cm)	
Package 1 Length	1.18 in (3 cm)	
Package 1 Weight	3.88 oz (110 g)	

#### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Toxic heavy metal free	Yes
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com


#### Contractual warranty

Warranty 18 months	
--------------------	--

# Product data sheet Dimensions Drawings

## XCCRAR0616

#### **Dimensions**



Ø e	Ø s
6 mm	16 mm